

READY FOR INSTALLATION INFORMATION SHEET

SPRING BOTTLING SYSTEM 350

Before the installation

CABINET SPACE

Width: Minimum: 600mm

Height: Minimum: 500mm

POWER

1 x 13amp socket

WATER

1 x 15mm (½") stop-tap with a male thread should be installed in an easily accessible position. Minimum dynamic water pressure of 2.5 bar.

Note: Positioned in the rear right or left corner.

WASTE

1½" upstand or an appliance spigot on sink waste. (only applicable if drainage font is to be installed)

Note: Positioned in the rear right or left corner.

VENTILATION

Unit requires ventilation. For more information please download our [Ventilation Guidance](#).



READY FOR INSTALLATION INFORMATION SHEET

SPRING BOTTLING SYSTEM 500+

Before the installation

CABINET SPACE

Width: Minimum: 600mm

Height: Minimum: 685mm

Note: This is a large unit and required full and uninterrupted space in the cupboard - no other services or appliances.

POWER

1 x 13amp socket

WATER

1 x 15mm (½") stop-tap with a male thread should be installed in an easily accessible position. Minimum dynamic water pressure of 2.5 bar.

Note: Positioned in the rear right or left corner.

WASTE

1½" upstand or an appliance spigot on sink waste. (only applicable if drainage font is to be installed)

Note: Positioned in the rear right or left corner.

VENTILATION

Unit requires ventilation. For more information please download our

[Ventilation Guidance](#).

